

SOUL BLACK

Ultra-lightweight safety sneakers. State-of-the-art design, technology and materials. Endless comfort and ultimate protection.



TECHNOLOGIES

ALUMINUM TOE CAP

Aluminum toe cap protection, 40% lighter than traditional steel toe caps and ultra resistant.

DCP SYSTEM

System of high-density TPU double insert which significantly increases resistance to abrasion and grip.

REFLEMAX

High visibility reflective material that provides extra safety in adverse weather conditions and in those moments of the day where the lights are dimmer.

AIRCORE

High technology lining, three layer with permanent airflow air chamber.

FOAMFREE

Inside linings without synthetic foam support. It reduces moisture, and increases comfort.

IPD TECHNOLOGY

Progressive density increase. High comfort, optimum cushioning in the heel area and maximum stability in the step.

SHOCK ABSORBER

Programmed deformation ovoidal vault system. It redirects the load on the cue by distributing it evenly.

MICROCELL

Exclusive and extremely light fabric with semi-closed stitch, excellent flexibility and very high ventilation; specially designed for safety sneakers.

MICROTEC PRO

Effective antimicrobial protection. Prevents the development of microorganisms and bad odors.

FUNCIONAL



SUELA P.U.- MULTIDENSIDAD URBANA SPORT SOUL BLACK

DESCRIPTION

Model: Ultra-lightweight sneakers

UPPER COMPOUND

Color

• Black

Upper

• Combination of Leather and Textile Fabrics

Inside

Textile Lining with Antimicrobian Treatment

Collar

• Padded

Tongue

- Lined and Padded
- TOE CAP
- Aluminum

ACCESORIES

Laces

• Ultra Tensile Strenght with REFLEMAX

Lace-keepers

Reinforced Eyelets

Insoles

• Ultra-comfortable, ergonomic, conformed insole

SAFETY HAZARDS SPECIFICATIONS



THI HEAT INSULATION 150"C / 30'

CI COLD INSULATION

Last review date: 2022/07/22

WWW.FUNCIONALWEB.COM

The content of this document can be changed without previous notice.

© Maincal 2024

PLANT

Other properties

- Electrical Hazard
- Resistant to Hydrocarbons
- Slip Resistant
- Self-Cleaning
- Resistant to Flexing
- Resistant to Abrasion

Compound

- Multidensity Polyurethane
- Upper plant adhesion
- Direct injection
- OPTIONALS
- PR Puncture Resistant
- SIZES
- From 6.5 to 13

